INNOVATING PACKAGING TRENDS



#### BAG IN BAG | CASE PACKAGING | SHRINK WRAPPING | CASE ERECTOR SOLUTIONS



## **SECONDARY PACKAGING SOLUTIONS**

### **OUR EXPERTISE**

AUTOMATIC BAGGING SOLUTIONS | SECONDARY PACKAGING SOLUTIONS PALLETIZING SOLUTIONS | INTRALOGISTIC CONVEYOR SOLUTIONS AUTOMATIC TRUCK LOADING SOLUTIONS

## **BAG IN BAG SOLUTIONS**



## **AUTOMATIC BAG-IN-BAG SYSTEM**

- Orderly arrangement of small pouches in a vertical stack within an open-mouth bag.
- Flexibility in arranging pouches in a single row, dual rows, or a staggered layout of two rows, based on preferences.

#### Parameters

Machine Speed

#### Pouch weight

Products

Secondary bag

Types of bags

**Bag Materials** 

Material type

Type of sealing

#### Specifications

Infeed: 40–150 pouches/min Outfeed: 6–12 bags/min 0.2Kg – 10Kgs 0.5 Kg – 10 Kg small packs 10–50Kg Preformed open mouth, pillow/gusset bags PE, HDPE, Paper, Woven bag Grain, Powder, Paste, and so on

Thread Stitching / Heat Sealing

## **CASE PACKAGING SOLUTIONS**



### **CASE PACKING AND PRODUCT HANDLING SOLUTIONS**

- No-drop pick and place, robotic, and semi-automatic systems, catering to a variety of packaging needs.
- Footprints customized on request.

#### **Parameters**

Case Size (LxWxH)

Carton Type

Speed

Case type handled

Product Type

Packer Type

Sealing Type

#### **Specifications**

Min: 5.5 x 5.5 x 6 inches Max: 21 x 16 x 22 inches \*other size ranges are available

3/5 ply

10-20 cartons/min

**Regular slotted cartons, Around cases** 

Pouches, bottles, cases, cups, cones, candies, bars, glass bottles etc

Robotic pick and place, gantry pick and place, drop-down type, pusher type

Taping/Bottom Seal/Gluing

## **CASE PACKAGING SOLUTIONS**



## **MECHANICAL ROBOTICARM PACKER**

- Simplified Cam based Mechanical Case Packer
- Quick Changeover
- All controls with PLC command & inbuilt touch screen HMI

#### **Parameters**

**Machine Size** 

Speed

Payload

Air Consumption

Electricals

**Product Grippers** 

Machine Weight

### **Specifications**

L-2300 mm

W-2050 mm

H-2400 mm

1-8 cycles/min

100 kgs inclusive of Gripper Heads


3 to 5 CFM at 5 bar

3 kw, 3 ph, 440 V, 50 Hz

Customized to suit product

Approximate 1000 kgs

## **CASE PACKER SOLUTIONS**



### WRAP AROUND CASE PACKER

- Fully enclosed with Polycarbonate doors/safety guarding.
- Safety sensors interlock with software program.

Parameters	Specifications
Machine Size	L-5770 mm
	W-3200 mm
	H-2400 mm
Speed	1–20 cycles/min
Air Consumption	3 to 5 CFM at 4 Bar
Electricals	10 kw, 3 ph, 415 V, 50 Hz
Material of	Rigid MS Powder Coated Tubular Frame Structure.
Construction	Conveyors of SS304 / Aluminium
Machine Weight	Approximate 1000 kgs

## **SHRINK WRAPPING SOLUTIONS**



### SHRINK WRAPPING MACHINE

- Automatic feeding, pushing, film feeding, and sealing
- Adjustable speed conveyor for feeding
- Quick Changeover from one type to another
- Suitable for wide products like bottles, cans, beverages, cosmetics etc.

Parameters	Specifications
Machine Size	L-1400 mm
	W-2200 mm
	H-2000 mm
peed	1-18 packs/min
utter	700 mm
r Consumption	3 to 5 CFM at 5 bar
ectricals	3 kw, 3 ph, 440 V, 50 Hz
ax Current	10 A
achine Weight	Approximate 500 kgs

## **CASE ERECTOR SOLUTIONS**



### **HIGH SPEED CASE ERECTOR**

- Extremely Compact High Speed Case Erector
- Fully Cam operated motions
- Easy & Simple to operate and adjust

#### **Parameters**

**Machine Size** 

Speed

**Case Size** 

**Air Consumption** 

**Electricals** 

Machine Weight

### **Specifications**

L: 2400 mm

W: 1250 mm

H: 1850 mm

1-20 Cases/min

L: 240-510 mm

W: 190-400 mm

H: 120-380 mm

10 CFM at 5 bar

1 kw, 1 ph, 230 V, 50 Hz

Approximate 500 kgs

# **OUR CUSTOMERS**



200+

**Clients Served** 

**14+** Country Served



FMCG

Food & Beverage

Agro Commodities



Chemical & Fertilizers



**Project Executed** 

E-commerce

## For more information

www.alligatorautomations.com

## Alligator Automations India Pvt. Ltd.

- Plot C-5, 6, 11, 12, Gat No. 235/2, Santosh Nagar, Next to Tata Motors Warehouse, Waki, Tal-Khed, Pune - 410501, Maharashtra, India
- 1800-572-0444 (Toll Free INDIA)
  +91 9130687258, +91 9021902489







